1	STATE OF OKLAHOMA
2	1st Session of the 59th Legislature (2023)
3	COMMITTEE SUBSTITUTE
4	FOR ENGROSSED HOUSE BILL 1045 By: Lawson of the House
5	and
6	Gollihare of the Senate
7	
8	
9	<u>COMMITTEE SUBSTITUTE</u>
LO	An Act relating to labor; creating rules for single- use test results; creating rules for conclusive drug
L1	testing results; providing for codification; and providing an effective date.
L2	providing an effective date.
L3	
L 4	BE IT ENACTED BY THE PEOPLE OF THE STATE OF OKLAHOMA:
15	SECTION 1. NEW LAW A new section of law to be codified
16	in the Oklahoma Statutes as Section 559.1 of Title 40, unless there
L7	is created a duplication in numbering, reads as follows:
18	A. A testing facility shall report single-use test results that
L9	meet the standard to be sent to the laboratory for confirmation
20	testing to an employer's review officer, or a designee of the
21	employer's review officer, as soon as the results for the single-use
22	test become available or the next working day. The final conclusion
23	of the testing, which shall include the results of the single-use
24	tests, confirmatory tests, or quality control data, shall be

Req. No. 2085 Page 1

- reviewed and the test certified as an accurate report by the
  responsible individual. The report shall identify the drugs and
  metabolites tested for, whether positive or negative, and the cutoff
  for each, the specimen number assigned by the employer, and the
  testing facility specimen identification number.
  - B. The drug screen testing facility shall report as negative all specimens which are negative on the single-use test or negative on the confirmatory test. Only specimens confirmed positive shall be reported as positive for a specific drug.

- C. The review officer may request from the certified laboratory, and the certified laboratory shall provide, quantitation of test results. The review officer shall not disclose quantitation of test results to the employer but shall report only whether the test was positive or negative.
- D. The drug screen testing facility may transmit results to the review officer by electronic means, including teleprinters, facsimile, or computer, in a manner designed to ensure confidentiality of the information. Results shall not be provided verbally by telephone. The drug screen testing facility shall ensure the security of the data transmission and limit access to any data transmission, storage, and retrieval system.
- E. The certified laboratory shall send to the review officer the positive drug test results, which shall be signed by the individual responsible for the day-to-day management of the

Req. No. 2085 Page 2

```
certified laboratory or the individual responsible for attesting to
 1
 2
    the validity of the test reports.
 3
        SECTION 2. This act shall become effective November 1, 2023.
 4
                                 4/10/2023 4:27:14 PM
 5
        59-1-2085
                      MR
 6
 7
 8
 9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
```

Req. No. 2085 Page 3